

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the specification:

Page 19, line 22, "Fig. 17 is a view" has been deleted and - - Figs. 17A-C are front, side and tops views - -, has been inserted therein in order to provide appropriate description to the drawings.

Page 20, line 6, "Fig. 22 is a view for" has been deleted and - - Figs. 22A and B are views - - has been inserted therein in order to provide appropriate description to the drawings.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David B. Jones whose telephone number is 571 272 4518. The

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Banks Derris, can be reached at 571 272-4419. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

Art Unit: 3725

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/David B. Jones/  
Primary Examiner  
Art Unit 3725